

Consumption Rates - Alphabetical Sort
PER CAPITA 2003 CONSUMPTION RATES - Alphabetical Sort

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>

Per capita alcohol consumption, based on alcohol sales data

Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of ethanol, based on population age 14 and older)

State or other geographic area (control states shaded in green)	Per capita consumption (2003)				Per Capita Consumption Standing (1 highest/ 50 lowest)		
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
Alabama	1.18	0.19	0.52	1.89	33	38	45
Alaska	1.27	0.37	0.79	2.43	24	19	13
Arizona	1.41	0.37	0.71	2.48	13	18	11
Arkansas	1.06	0.14	0.56	1.76	42	47	47
California	1.06	0.50	0.65	2.22	41	9	29
Colorado	1.34	0.40	0.87	2.60	18	15	7
Connecticut	0.93	0.52	0.77	2.22	48	6	28
Delaware	1.37	0.56	1.17	3.11	16	4	3
Florida	1.32	0.44	0.86	2.63	22	13	6
Georgia	1.19	0.26	0.66	2.11	32	28	36
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Idaho	1.14	0.64	0.54	2.33	36	2	24
Illinois	1.25	0.35	0.74	2.34	26	21	23
Indiana	1.11	0.21	0.64	1.96	39	37	41
Iowa	1.37	0.15	0.53	2.05	17	44	37
Kansas	1.15	0.17	0.56	1.88	35	42	46
Kentucky	1.03	0.15	0.56	1.74	45	45	48
Louisiana	1.42	0.25	0.73	2.39	11	30	19
Maine	1.24	0.39	0.73	2.36	27	17	20
Maryland	1.02	0.32	0.77	2.11	46	23	35
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
Michigan	1.17	0.26	0.70	2.13	34	29	34
Minnesota	1.21	0.29	0.90	2.41	29	25	15
Mississippi	1.40	0.12	0.62	2.14	14	49	33
Missouri	1.33	0.25	0.68	2.26	19	31	25
Montana	1.55	0.33	0.72	2.59	4	22	8
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Nevada	1.76	0.62	1.25	3.63	1	3	2
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
New Jersey	0.95	0.50	0.79	2.24	47	10	26
New Mexico	1.52	0.27	0.61	2.40	7	26	16
New York	0.93	0.40	0.61	1.93	49	16	43
North Carolina	1.21	0.27	0.52	2.00	30	27	40
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Ohio	1.33	0.22	0.48	2.03	20	36	39
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
Oregon	1.20	0.47	0.68	2.35	31	11	21
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
South Carolina	1.38	0.23	0.74	2.35	15	35	22
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Tennessee	1.26	0.18	0.52	1.96	25	40	42
Texas	1.46	0.23	0.51	2.19	10	34	32
Utah	0.77	0.15	0.39	1.31	50	46	50
Vermont	1.32	0.51	0.64	2.47	21	7	12
Virginia	1.14	0.36	0.53	2.03	37	20	38
Washington	1.05	0.46	0.67	2.19	44	12	31
West Virginia	1.23	0.10	0.38	1.71	28	50	49
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
Wyoming	1.69	0.23	0.90	2.82	3	32	4

Sources: Alcohol Epidemiologic Data System. Lakins, N.E.; Williams, G.D.; Yi, H.; and Hilton, M.E. Surveillance Report #73: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1970–2003. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, Division of Epidemiology and Prevention Research (August 2005).

Alcohol Epidemiologic Data System. Nephew, T.M., Yi, H., Williams, G.D., Stinson, F.S., and Dufour, M.C. U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 1, 4th ed. U.S. Apparent Consumption of Alcoholic Beverages Based on State Sales, Taxation, or Receipt Data. Washington, DC: NIAAA. NIH Publication No. 04-5582 (June 2004).

PER CAPITA 2003 CONSUMPTION RATES - ALL BEVERAGES

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>

Per capita alcohol consumption, based on alcohol sales data

Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of ethanol, based on population age 14 and older)

Sort by ALL Beverages - Highest to Lowest Consumption (2003)

Washington is ranked at 31 of 50

State or other geographic area (control states shaded in green)	Per capita consumption			Per Capita Consumption Standing (1 highest/ 50 lowest)			
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
Nevada	1.76	0.62	1.25	3.63	1	3	2
Delaware	1.37	0.56	1.17	3.11	16	4	3
Wyoming	1.69	0.23	0.90	2.82	3	32	4
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
Florida	1.32	0.44	0.86	2.63	22	13	6
Colorado	1.34	0.40	0.87	2.60	18	15	7
Montana	1.55	0.33	0.72	2.59	4	22	8
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
Arizona	1.41	0.37	0.71	2.48	13	18	11
Vermont	1.32	0.51	0.64	2.47	21	7	12
Alaska	1.27	0.37	0.79	2.43	24	19	13
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
Minnesota	1.21	0.29	0.90	2.41	29	25	15
New Mexico	1.52	0.27	0.61	2.40	7	26	16
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Louisiana	1.42	0.25	0.73	2.39	11	30	19
Maine	1.24	0.39	0.73	2.36	27	17	20
Oregon	1.20	0.47	0.68	2.35	31	11	21
South Carolina	1.38	0.23	0.74	2.35	15	35	22
Illinois	1.25	0.35	0.74	2.34	26	21	23
Idaho	1.14	0.64	0.54	2.33	36	2	24
Missouri	1.33	0.25	0.68	2.26	19	31	25
New Jersey	0.95	0.50	0.79	2.24	47	10	26
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Connecticut	0.93	0.52	0.77	2.22	48	6	28
California	1.06	0.50	0.65	2.22	41	9	29
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
Washington	1.05	0.46	0.67	2.19	44	12	31
Texas	1.46	0.23	0.51	2.19	10	34	32
Mississippi	1.40	0.12	0.62	2.14	14	49	33
Michigan	1.17	0.26	0.70	2.13	34	29	34
Maryland	1.02	0.32	0.77	2.11	46	23	35
Georgia	1.19	0.26	0.66	2.11	32	28	36
Iowa	1.37	0.15	0.53	2.05	17	44	37
Virginia	1.14	0.36	0.53	2.03	37	20	38
Ohio	1.33	0.22	0.48	2.03	20	36	39
North Carolina	1.21	0.27	0.52	2.00	30	27	40
Indiana	1.11	0.21	0.64	1.96	39	37	41
Tennessee	1.26	0.18	0.52	1.96	25	40	42
New York	0.93	0.40	0.61	1.93	49	16	43
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
Alabama	1.18	0.19	0.52	1.89	33	38	45
Kansas	1.15	0.17	0.56	1.88	35	42	46
Arkansas	1.06	0.14	0.56	1.76	42	47	47
Kentucky	1.03	0.15	0.56	1.74	45	45	48
West Virginia	1.23	0.10	0.38	1.71	28	50	49
Utah	0.77	0.15	0.39	1.31	50	46	50

Beer Consumption

PER CAPITA 2003 CONSUMPTION RATES - BEER

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>

Per capita alcohol consumption, based on alcohol sales data

Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of ethanol, based on population age 14 and older)

**Sort by BEER Consumption (2003) - Highest to Lowest Consumption
Washington is ranked at 44 of 50**

State or other geographic area (control states shaded in green)	Per capita consumption				Per Capita Consumption Standing (1 highest/ 50 lowest)		
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
Nevada	1.76	0.62	1.25	3.63	1	3	2
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
Wyoming	1.69	0.23	0.90	2.82	3	32	4
Montana	1.55	0.33	0.72	2.59	4	22	8
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
New Mexico	1.52	0.27	0.61	2.40	7	26	16
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
Texas	1.46	0.23	0.51	2.19	10	34	32
Louisiana	1.42	0.25	0.73	2.39	11	30	19
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Arizona	1.41	0.37	0.71	2.48	13	18	11
Mississippi	1.40	0.12	0.62	2.14	14	49	33
South Carolina	1.38	0.23	0.74	2.35	15	35	22
Delaware	1.37	0.56	1.17	3.11	16	4	3
Iowa	1.37	0.15	0.53	2.05	17	44	37
Colorado	1.34	0.40	0.87	2.60	18	15	7
Missouri	1.33	0.25	0.68	2.26	19	31	25
Ohio	1.33	0.22	0.48	2.03	20	36	39
Vermont	1.32	0.51	0.64	2.47	21	7	12
Florida	1.32	0.44	0.86	2.63	22	13	6
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Alaska	1.27	0.37	0.79	2.43	24	19	13
Tennessee	1.26	0.18	0.52	1.96	25	40	42
Illinois	1.25	0.35	0.74	2.34	26	21	23
Maine	1.24	0.39	0.73	2.36	27	17	20
West Virginia	1.23	0.10	0.38	1.71	28	50	49
Minnesota	1.21	0.29	0.90	2.41	29	25	15
North Carolina	1.21	0.27	0.52	2.00	30	27	40
Oregon	1.20	0.47	0.68	2.35	31	11	21
Georgia	1.19	0.26	0.66	2.11	32	28	36
Alabama	1.18	0.19	0.52	1.89	33	38	45
Michigan	1.17	0.26	0.70	2.13	34	29	34
Kansas	1.15	0.17	0.56	1.88	35	42	46
Idaho	1.14	0.64	0.54	2.33	36	2	24
Virginia	1.14	0.36	0.53	2.03	37	20	38
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
Indiana	1.11	0.21	0.64	1.96	39	37	41
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
California	1.06	0.50	0.65	2.22	41	9	29
Arkansas	1.06	0.14	0.56	1.76	42	47	47
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
Washington	1.05	0.46	0.67	2.19	44	12	31
Kentucky	1.03	0.15	0.56	1.74	45	45	48
Maryland	1.02	0.32	0.77	2.11	46	23	35
New Jersey	0.95	0.50	0.79	2.24	47	10	26
Connecticut	0.93	0.52	0.77	2.22	48	6	28
New York	0.93	0.40	0.61	1.93	49	16	43
Utah	0.77	0.15	0.39	1.31	50	46	50

Wine Consumption

PER CAPITA 2003 CONSUMPTION RATES - WINE

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>

Per capita alcohol consumption, based on alcohol sales data

Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of ethanol, based on population age 14 and older)

Sort by WINE Consumption (2003) - Highest to Lowest

Washington is ranked at 12 of 50

State or other geographic area (control states shaded in green)	Per capita consumption				Per Capita Consumption Standing (1 highest/ 50 lowest)		
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
Idaho	1.14	0.64	0.54	2.33	36	2	24
Nevada	1.78	0.62	1.25	3.63	1	3	2
Delaware	1.37	0.56	1.17	3.11	16	4	3
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
Connecticut	0.93	0.52	0.77	2.22	48	6	28
Vermont	1.32	0.51	0.64	2.47	21	7	12
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
California	1.06	0.50	0.65	2.22	41	9	29
New Jersey	0.95	0.50	0.79	2.24	47	10	26
Oregon	1.20	0.47	0.68	2.35	31	11	21
Washington	1.05	0.46	0.67	2.19	44	12	31
Florida	1.32	0.44	0.86	2.63	22	13	6
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Colorado	1.34	0.40	0.87	2.60	18	15	7
New York	0.93	0.40	0.61	1.93	49	16	43
Maine	1.24	0.39	0.73	2.36	27	17	20
Arizona	1.41	0.37	0.71	2.48	13	18	11
Alaska	1.27	0.37	0.79	2.43	24	19	13
Virginia	1.14	0.36	0.53	2.03	37	20	38
Illinois	1.25	0.35	0.74	2.34	26	21	23
Montana	1.55	0.33	0.72	2.59	4	22	8
Maryland	1.02	0.32	0.77	2.11	46	23	35
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
Minnesota	1.21	0.29	0.90	2.41	29	25	15
New Mexico	1.52	0.27	0.61	2.40	7	26	16
North Carolina	1.21	0.27	0.52	2.00	30	27	40
Georgia	1.19	0.26	0.66	2.11	32	28	36
Michigan	1.17	0.26	0.70	2.13	34	29	34
Louisiana	1.42	0.25	0.73	2.39	11	30	19
Missouri	1.33	0.25	0.68	2.26	19	31	25
Wyoming	1.69	0.23	0.90	2.82	3	32	4
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
Texas	1.46	0.23	0.51	2.19	10	34	32
South Carolina	1.38	0.23	0.74	2.35	15	35	22
Ohio	1.33	0.22	0.48	2.03	20	36	39
Indiana	1.11	0.21	0.64	1.96	39	37	41
Alabama	1.18	0.19	0.52	1.89	33	38	45
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Tennessee	1.26	0.18	0.52	1.96	25	40	42
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Kansas	1.15	0.17	0.56	1.88	35	42	46
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Iowa	1.37	0.15	0.53	2.05	17	44	37
Kentucky	1.03	0.15	0.56	1.74	45	45	48
Utah	0.77	0.15	0.39	1.31	50	46	50
Arkansas	1.06	0.14	0.56	1.76	42	47	47
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
Mississippi	1.40	0.12	0.62	2.14	14	49	33
West Virginia	1.23	0.10	0.38	1.71	28	50	49

Beer Production

Sort by BEER PRODUCTION (2005) - Highest to Lowest Production

Washington is ranked at 3 of 50

State or other geographic area (control states shaded in green)	Per Capita Consumption (2003) Standing (1 highest/ 50 lowest)		
	Beer	Wine	All
California	41	9	29
Colorado	18	15	7
Texas	10	34	32
Ohio	20	36	39
Virginia	37	20	38
Missouri	19	31	25
Georgia	32	28	36
Florida	22	13	6
Wisconsin	6	24	5
New York	49	16	43
New Jersey	47	10	26
North Carolina	30	27	40
Pennsylvania	9	33	30
New Hampshire	2	1	1
Oregon	31	11	21
Washington	44	12	31
Minnesota	29	25	15
Indiana	39	37	41
Vermont	21	7	12
Kentucky	45	45	48
Massachusetts	40	5	10
Alaska	24	19	13
Michigan	34	29	34
Maine	27	17	20
Maryland	46	23	35
Montana	4	22	8
Arizona	13	18	11
Louisiana	11	30	19
Nevada	1	3	2
Nebraska	12	39	27
New Mexico	7	26	16
Hawaii	23	14	18
Idaho	36	2	24
Iowa	17	44	37
Connecticut	48	6	28
Kansas	35	42	46
South Carolina	15	35	22
Wyoming	3	32	4
Delaware	16	4	3
Rhode Island	38	8	14
South Dakota	8	43	17
Tennessee	25	40	42
Illinois	26	21	23
Arkansas	42	47	47
West Virginia	28	50	49
Mississippi	14	49	33
Alabama	33	38	45
North Dakota	5	41	9
Oklahoma	43	48	44
Utah	50	46	50

Wine production/gallons. July 2004 - June 2005. From www.wineamerica.org/newsroom/data.htm

WINE PRODUCTION	Rank
568,628,053	90.22%
114,496	0.02%
955,187	0.15%
857,339	0.14%
717,345	0.11%
852,668	0.14%
134,585	0.02%
1,410,270	0.22%
375,064	0.06%
29,011,382	4.60%
1,602,684	0.25%
736,394	0.12%
568,249	0.09%
0	0.00%
1,996,342	0.32%
16,514,248	2.62%
0	0.00%
436,934	0.07%
1,185,013	0.19%
1,238,261	0.20%
39,570	0.01%
0	0.00%
808,093	0.13%
13,381	0.00%
144,667	0.02%
0	0.00%
21,143	0.00%
0	0.00%
0	0.00%
548,610	0.09%
0	0.00%
510,077	0.08%
52,838	0.01%
50,681	0.01%
0	0.00%
10,025	0.00%
0	0.00%
33,901	0.01%
0	0.00%
143,660	0.02%
118,553	0.02%
52,800	0.01%
30,440	0.00%
12,987	0.00%
125	0.00%
0	0.00%
0	0.00%
0	0.00%

Beer production/gallons 2005. From www.beerinstitute.org/statistics.asp

BEER Production	Rank
21,931,802	1
21,077,114	2
19,382,482	3
19,002,543	4
14,595,558	5
14,000,000	6
13,000,000	7
8,972,331	8
8,912,189	9
8,021,559	10
7,000,000	11
6,000,000	12
3,257,410	13
3,000,000	14
641,741	15
248,200	16
208,724	17
191,194	18
179,387	19
117,786	20
113,477	21
113,023	22
90,128	23
85,133	24
52,031	25
50,385	26
27,861	27
17,863	28
8,937	29
8,303	30
7,765	31
7,260	32
6,938	33
5,706	34
4,645	35
4,484	36
4,414	37
4,224	38
1,702	39
1,289	40
84	41
NO INFO	
NA	
NO INFO	
NA	
NO INFO	
NA	
NO INFO	
NA	
NO INFO	
NA	

Wine Production

Sort by WINE PRODUCTION (7/04 - 6/05) - Highest to Lowest Production

Washington is ranked at 3 of 50

State or other geographic area (control states shaded in green)	Per Capita Consumption (2003) Standing (1 highest/ 50 lowest)		
	Beer	Wine	All
California	41	9	29
New York	49	16	43
Washington	44	12	31
Oregon	31	11	21
New Jersey	47	10	26
Florida	22	13	6
Kentucky	45	45	48
Vermont	21	7	12
Texas	10	34	32
Ohio	20	36	39
Missouri	19	31	25
Michigan	34	29	34
North Carolina	30	27	40
Virginia	37	20	38
Pennsylvania	9	33	30
New Mexico	7	26	16
Idaho	36	2	24
Indiana	39	37	41
Wisconsin	6	24	5
Maryland	46	23	35
Tennessee	25	40	42
Georgia	32	28	36
Illinois	26	21	23
Colorado	18	15	7
Iowa	17	44	37
Arkansas	42	47	47
Connecticut	48	6	28
Massachusetts	40	5	10
Rhode Island	38	8	14
West Virginia	28	50	49
Arizona	13	18	11
Maine	27	17	20
Mississippi	14	49	33
South Carolina	15	35	22
Alabama	33	38	45
New Hampshire	2	1	1
Minnesota	29	25	15
Alaska	24	19	13
Montana	4	22	8
Louisiana	11	30	19
Nevada	1	3	2
Nebraska	12	39	27
Hawaii	23	14	18
Kansas	35	42	46
Wyoming	3	32	4
Delaware	16	4	3
South Dakota	8	43	17
North Dakota	5	41	9
Oklahoma	43	48	44
Utah	50	46	50

Beer production/gallons 2005. From www.beerinstitute.org /statistics.asp	
BEER Production	Rank
21,931,802	1
8,021,559	10
248,200	16
641,741	15
<i>7,000,000</i>	11
8,972,331	8
117,786	20
179,387	19
19,382,482	3
19,002,543	4
<i>14,000,000</i>	6
90,128	23
<i>6,000,000</i>	12
14,595,558	5
3,257,410	13
7,765	31
6,938	33
191,194	18
8,912,189	9
52,031	25
NO INFO	
<i>13,000,000</i>	7
NA	
21,077,114	2
5,706	34
NO INFO	
4,645	35
113,477	21
1,289	40
NA	
27,861	27
85,133	24
NO INFO	
4,414	37
NA	
<i>3,000,000</i>	14
208,724	17
113,023	22
50,385	26
17,863	28
8,937	29
8,303	30
7,260	32
4,484	36
4,224	38
1,702	39
84	41
NA	
NO INFO	
NO INFO	

Alcohol Dependency 2000-2001

PER CAPITA 2003 CONSUMPTION RATES

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>
 Per capita alcohol consumption, based on alcohol sales data
 Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of

State or other geographic area (control states shaded in green)	Per capita consumption (2003)				Per Capita Consumption Standing (1 highest/ 50 lowest)		
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
Louisiana	1.42	0.25	0.73	2.39	11	30	19
New Mexico	1.52	0.27	0.61	2.40	7	26	16
Mississippi	1.40	0.12	0.62	2.14	14	49	33
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Alaska	1.27	0.37	0.79	2.43	24	19	13
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
California	1.06	0.50	0.65	2.22	41	9	29
Illinois	1.25	0.35	0.74	2.34	26	21	23
Oregon	1.20	0.47	0.68	2.35	31	11	21
Montana	1.55	0.33	0.72	2.59	4	22	8
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Arizona	1.41	0.37	0.71	2.48	13	18	11
Idaho	1.14	0.64	0.54	2.33	36	2	24
Vermont	1.32	0.51	0.64	2.47	21	7	12
Colorado	1.34	0.40	0.87	2.60	18	15	7
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
Minnesota	1.21	0.29	0.90	2.41	29	25	15
Washington	1.05	0.46	0.67	2.19	44	12	31
Wyoming	1.69	0.23	0.90	2.82	3	32	4
Delaware	1.37	0.56	1.17	3.11	16	4	3
Iowa	1.37	0.15	0.53	2.05	17	44	37
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
Alabama	1.18	0.19	0.52	1.89	33	38	45
Connecticut	0.93	0.52	0.77	2.22	48	6	28
Michigan	1.17	0.26	0.70	2.13	34	29	34
Tennessee	1.26	0.18	0.52	1.96	25	40	42
Georgia	1.19	0.26	0.66	2.11	32	28	36
Arkansas	1.06	0.14	0.56	1.76	42	47	47
Nevada	1.76	0.62	1.25	3.63	1	3	2
West Virginia	1.23	0.10	0.38	1.71	28	50	49
Utah	0.77	0.15	0.39	1.31	50	46	50
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
South Carolina	1.38	0.23	0.74	2.35	15	35	22
Florida	1.32	0.44	0.86	2.63	22	13	6
Texas	1.46	0.23	0.51	2.19	10	34	32
New York	0.93	0.40	0.61	1.93	49	16	43
Maine	1.24	0.39	0.73	2.36	27	17	20
North Carolina	1.21	0.27	0.52	2.00	30	27	40
Kentucky	1.03	0.15	0.56	1.74	45	45	48
Missouri	1.33	0.25	0.68	2.26	19	31	25
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Ohio	1.33	0.22	0.48	2.03	20	36	39
Indiana	1.11	0.21	0.64	1.96	39	37	41
Kansas	1.15	0.17	0.56	1.88	35	42	46
Maryland	1.02	0.32	0.77	2.11	46	23	35
Virginia	1.14	0.36	0.53	2.03	37	20	38
New Jersey	0.95	0.50	0.79	2.24	47	10	26

Sources: Alcohol Epidemiologic Data System. Lakin, N.E.; Williams, G.D.; Yi, H.; and Hilton, M.E. Surveillance Report #73: Apparent Per Capita Alcohol

Consumption: National, State, and Regional Trends, 1970–2003. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, Division of Epidemiology and Prevention Research (August 2005).

Alcohol Epidemiologic Data System. Nephew, T.M., Yi, H., Williams, G.D., Stinson, F.S., and Dufour, M.C. U.S. Alcohol Epidemiologic Data Reference Manual, Vol. 1, 4th ed. U.S. Apparent Consumption of Alcoholic Beverages Based on State Sales, Taxation, or Receipt Data. Washington, DC: NIAAA. NIH Publication No. 04-5563 (June 2004).

Table B.14 Percentages Reporting Past Year Alcohol Dependence, by Age Group and State: Annual Averages Based on 2000 and 2001 NHSDAS

Total	AGE GROUP (Years)		
	12-17	18-25	26 or Older
Estimate	Estimate	Estimate	Estimate
2.85	2.76	5.83	2.27
2.84	2.96	6.12	2.2
2.81	1.93	4.84	2.55
2.73	3.01	7	1.86
2.69	2.86	5.18	2.13
2.65	1.98	5.57	2.22
2.63	1.75	4.9	2.33
2.6	1.59	6.23	2.12
2.59	2.22	5.49	2.17
2.57	2.62	7.94	1.63
2.57	2.71	6.75	1.74
2.55	2.47	4.78	2.16
2.55	2.09	5.94	1.91
2.55	2.1	6.54	1.97
2.54	2.01	5.87	2.03
2.53	2.64	5.76	1.92
2.49	2.26	5.22	2.12
2.49	2.21	6.95	1.74
2.45	2.9	5.18	1.92
2.43	2.54	6.23	1.66
2.42	1.92	4.82	2.1
2.4	2.71	6.45	1.64
2.4	1.82	5.61	2
2.39	2.15	4.81	2
2.37	2.17	5.59	1.95
2.37	1.91	5.24	1.94
2.37	1.73	4.77	2.06
2.34	1.35	4.41	2.11
2.33	2.18	5.54	1.79
2.33	1.86	5.87	1.85
2.31	3.09	5.28	1.75
2.3	2.04	4.13	1.82
2.29	1.69	5.34	1.91
2.28	2.05	6.16	1.73
2.28	1.47	4.37	2.04
2.25	1.43	4.56	2.03
2.25	1.85	4.7	1.83
2.24	1.77	5.44	1.8
2.22	3.58	5.38	1.58
2.21	1.61	5.08	1.84
2.2	2.28	4.35	1.81
2.2	1.92	5.48	1.68
2.18	2.12	4.95	1.71
2.17	2.1	5.57	1.65
2.17	1.59	5.42	1.7
2.15	1.66	4.75	1.77
2.15	1.65	4.72	1.75
2.14	2.01	5.4	1.67
2.12	1.57	5.14	1.71
2.09	1.37	3.84	1.93
Total ¹	2.37	1.89	5.16
	2.37	1.89	1.96

NOTE: Dependence is based on the definition found in the 4th ed. of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

¹ This estimate is the weighted average of the hierarchical Bayes estimates across all States and the District of Columbia and typically is not equal to the direct sample-weighted estimate for the Nation.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Alcohol-Related Traffic Deaths

PER CAPITA 2003 CONSUMPTION RATES

<http://www.niaaa.nih.gov/Resources/DatabaseResources/QuickFacts/AlcoholSales/consum03.htm>

Per capita alcohol consumption, based on alcohol sales data

Per capita ethanol consumption for States, census regions, and the United States, 2003. (Gallons of

State or other geographic area (control states shaded in green)	Per capita consumption (2003)			Per Capita Consumption Standing (1 highest/ 50 lowest)			
	Beer	Wine	Spirits	All beverages	Beer	Wine	All
Hawaii	1.30	0.42	0.67	2.39	23	14	18
Alaska	1.27	0.37	0.79	2.43	24	19	13
Delaware	1.37	0.56	1.17	3.11	16	4	3
Montana	1.55	0.33	0.72	2.59	4	22	8
Rhode Island	1.12	0.51	0.79	2.42	38	8	14
North Dakota	1.53	0.17	0.86	2.56	5	41	9
Texas	1.46	0.23	0.51	2.19	10	34	32
Washington	1.05	0.46	0.67	2.19	44	12	31
Wisconsin	1.52	0.29	1.00	2.81	6	24	5
Connecticut	0.93	0.52	0.77	2.22	48	6	28
Illinois	1.25	0.35	0.74	2.34	26	21	23
South Dakota	1.51	0.16	0.73	2.40	8	43	17
Arizona	1.41	0.37	0.71	2.48	13	18	11
Florida	1.32	0.44	0.86	2.63	22	13	6
South Carolina	1.38	0.23	0.74	2.35	15	35	22
Louisiana	1.42	0.25	0.73	2.39	11	30	19
Missouri	1.33	0.25	0.68	2.26	19	31	25
California	1.06	0.50	0.65	2.22	41	9	29
Colorado	1.34	0.40	0.87	2.60	18	15	7
Mississippi	1.40	0.12	0.62	2.14	14	49	33
Vermont	1.32	0.51	0.64	2.47	21	7	12
Massachusetts	1.10	0.56	0.82	2.48	40	5	10
New Mexico	1.52	0.27	0.61	2.40	7	26	16
Pennsylvania	1.46	0.23	0.51	2.20	9	33	30
Maryland	1.02	0.32	0.77	2.11	46	23	35
Ohio	1.33	0.22	0.48	2.03	20	36	39
Wyoming	1.69	0.23	0.90	2.82	3	32	4
Alabama	1.18	0.19	0.52	1.89	33	38	45
Michigan	1.17	0.26	0.70	2.13	34	29	34
Nevada	1.76	0.62	1.25	3.63	1	3	2
New York	0.93	0.40	0.61	1.93	49	16	43
Tennessee	1.26	0.18	0.52	1.96	25	40	42
Virginia	1.14	0.36	0.53	2.03	37	20	38
Arkansas	1.06	0.14	0.56	1.76	42	47	47
Minnesota	1.21	0.29	0.90	2.41	29	25	15
New Hampshire	1.72	0.70	1.61	4.03	2	1	1
North Carolina	1.21	0.27	0.52	2.00	30	27	40
Oregon	1.20	0.47	0.68	2.35	31	11	21
Maine	1.24	0.39	0.73	2.36	27	17	20
New Jersey	0.95	0.50	0.79	2.24	47	10	26
Oklahoma	1.06	0.13	0.73	1.93	43	48	44
Indiana	1.11	0.21	0.64	1.96	39	37	41
West Virginia	1.23	0.10	0.38	1.71	28	50	49
Nebraska	1.42	0.18	0.63	2.23	12	39	27
Georgia	1.19	0.26	0.66	2.11	32	28	36
Idaho	1.14	0.64	0.54	2.33	36	2	24
Kansas	1.15	0.17	0.56	1.88	35	42	46
Kentucky	1.03	0.15	0.56	1.74	45	45	48
Iowa	1.37	0.15	0.53	2.05	17	44	37
Utah	0.77	0.15	0.39	1.31	50	46	50

Source: <http://www.madd.org/stats/11087>

Alcohol-Related Traffic Deaths - 2005				
2005 Total Traffic Deaths	2005 Alcohol Related Deaths	% of Alcohol-Related	Fatalities involving a .08+ BAC driver	% involving .08+ BAC driver
140	71	51%	53	38%
72	35	49%	27	38%
134	66	49%	53	40%
251	124	49%	105	42%
87	43	49%	29	33%
123	58	47%	45	37%
3,504	1,569	45%	1,224	35%
647	294	45%	235	36%
815	369	45%	313	38%
274	120	44%	91	33%
1,361	580	43%	440	32%
186	80	43%	69	37%
1,177	492	42%	362	31%
3,543	1,471	42%	1,023	29%
1,093	464	42%	359	33%
955	394	41%	309	32%
1,257	515	41%	398	32%
4,329	1,719	40%	1,250	29%
606	244	40%	198	33%
931	371	40%	302	32%
73	29	40%	28	38%
442	171	39%	134	30%
488	189	39%	143	29%
1,616	636	39%	523	32%
614	235	38%	161	26%
1,323	505	38%	385	29%
170	65	38%	54	32%
1,131	423	37%	358	32%
1,129	421	37%	312	28%
427	159	37%	126	30%
1,429	524	37%	358	25%
1,270	464	37%	371	29%
947	347	37%	263	28%
648	233	36%	195	30%
559	201	36%	163	29%
166	60	36%	54	33%
1,534	549	36%	414	27%
488	177	36%	121	25%
169	59	35%	49	29%
748	263	35%	180	24%
802	283	35%	231	29%
938	320	34%	253	27%
374	126	34%	108	29%
276	91	33%	76	28%
1,729	545	32%	413	24%
275	89	32%	82	30%
428	151	32%	115	25%
985	313	32%	246	27%
450	118	26%	96	21%
282	37	13%	33	12%

National	43,443	16,885	39%	12,945	30%
----------	--------	--------	-----	--------	-----